

Work Order ID 141746

Thursday, February 11, 2016 7:49:40 AM

141746

Page 1

Item ID: D3215-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Harness Assembly
Start Date: 2/11/2016 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 2/11/2016 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: MLJ Date: FEB 11 2016 Pooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3215	Rev D

100	PURCHASING	0.00							DAS 13 9-89
-----	------------	------	--	--	--	--	--	--	-------------------

100
Purchasing Memo 0.00
Purchasing Issue P/O: 31385 to Tulmar Safety Systems
D3215-043 as per Dwg D3215
Ship to Tulmar
Certificate of Conformity is required

110	Receive & Inspect for Damage & Mat'l Certs	0.00							
-----	--	------	--	--	--	--	--	--	--

110
Packaging Memo 0.00
Packaging Ensure certificate of conformity is attached

120	QC6- Inspect dimensions to drawing	0.00							
-----	------------------------------------	------	--	--	--	--	--	--	--

120
QC Memo 0.00
Quality Control

1 FEB 17 2016

1X 8/2/16-02-18

Q 1602-13 DAS
9
9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____							
Misidentified ☐	☐ Past Due								

Work Order ID 141746***141746***

Page 2

Thursday, February 11, 2016 7:49:40 AM

Item ID: D3215-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Harness Assembly

Start Date: 2/11/2016 Start Qty: 1.00

1

Cust Item ID:

Required Date: 2/11/2016 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Identify as per dwg & Stock Location: SDB

0.00

130

Packaging

Memo

0.00

Packaging

FEB 19 2016

DAS
6
9-89

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.00

Quality Control

MCS FEB 19 2016

MCS FEB 19 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Thursday, February 11, 2016 7:49:45 AM

141746

D3215-043

Required Date: 2/11/2016

Required Qty: 1.00

[illegible]

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							



DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>LE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 1 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS
A	03.09.19	NEW ISSUE	
B	04.01.12	AS MANUFACTURED; ADD TOLERANCE	
C	04.03.05	REDUCE LENGTH; CLARIFY STITCHING	
D	07.03.27	ADD WEBBING SUPPLIER; ADD LABEL THREAD AND MATERIAL; IN VIEW A-A, 1.4 WAS 1.8; ADD -3A AND -3B; UPDATE TOLERANCES	



ASSEMBLY DETAIL
NOT TO SCALE


RELEASED

07-06-07 *[Signature]*

UNCONTROLLED COPY
ENGINEERING
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 141216 MGS
16-02-11

PARTS LIST:

QTY	P/N	DESCRIPTION
X	D3215-041	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
1	D3215-3	WEBBING TIDY
1	D3216-1	WEBBING ADJUSTER



D3215-041 BELT ASSEMBLY:

- MATERIAL: WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 5700 lb MIN
OR BELT TECH CANADA INC. 27039, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 6000 lb MIN
WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3, BLACK NYLON THREAD
LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F, BLACK NYLON THREAD
- ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- SEE SHEET 3 FOR VIEW A-A

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER :							
Misidentified ☐	☐ Past Due								



DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>H</i>	DRAWING NO. D3215	REV. D SHEET 2 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS

D3215-043 BELT ASSEMBLY:

1) MATERIAL:

WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE
x 0.05 THICK BLACK POLYESTER WEBBING,
CERTIFIED TO FAR 29.853A3, TENSILE
STRENGTH 5700 lb MIN

OR
 BELT TECH CANADA INC. 27039, 1.8 WIDE
x 0.05 THICK BLACK POLYESTER WEBBING,
CERTIFIED TO FAR 29.853A3, TENSILE
STRENGTH 6000 lb MIN


WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3,
BLACK NYLON THREAD

LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F,
BLACK NYLON THREAD

2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE
NOTED.


3) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED.

4) SEE SHEET 3 FOR VIEW A-A



RELEASED

07.06.07 *H*



ASSEMBLY DETAIL
NOT TO SCALE

PARTS LIST:

QTY	P/N	DESCRIPTION
X	D3215-043	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
2	D3215-3	WEBBING TIDY
2	D3216-1	WEBBING ADJUSTER

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					



Root Cause			FAULT CATEGORY							
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____						
Misidentified	☐	Past Due	☐							



DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 3 OF 3
DATE 07.03.27	TITLE HARNESS ASSEMBLY		SCALE 3:2



VIEW A-A



D3215-3A/-3B NOTES:

- 1) MATERIAL: 5052-H32 ALUMINUM SHEET, 0.040 THICK PER QQ-A-250/8 OR AMS 4016 (REF DART SPEC. M5052H32S.040)
- 2) BEND D3215-3A PER D3215-3

D3215-1 LABEL:


- 1) MATERIAL: WHITE TYVEK OR WHITE POLYESTER WHICH MEETS FMVSS 302
- 2) USE 1/8 BLACK LETTERING
- 3) CENTER ON BELT WIDTH

RELEASED

07.06.07 *[Signature]*

GENERAL NOTES:

- 1) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED



D3215-3 WEBBING TIDY

D3215-3 NOTES:

- 1) WELD PER DART QSI 004
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT BLACK SANDEX (4.3.5.7)
PER DART QSI 005 4.3

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																																																																																																																							
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																																																																																																																			
Description Work Order Deviation				Disposition																																																																																																																																																							
<table border="0" style="width:100%;"> <tr> <td colspan="3" style="text-align: center;">Root Cause</td> <td colspan="7" style="text-align: center;">FAULT CATEGORY</td> </tr> <tr> <td style="width:10%;">Environment</td><td>☐</td> <td style="width:10%;">No Re-verification</td><td>☐</td> <td style="width:10%;">Pressure/Forced</td><td>☐</td> <td style="width:10%;">Temperature/Cure</td><td>☐</td> <td style="width:10%;">Power Loss/Surge</td><td>☐</td> <td style="width:10%;">Positioned Wrong</td><td>☐</td> </tr> <tr> <td>Design</td><td>☐</td> <td>Operator</td><td>☐</td> <td>Bending</td><td>☐</td> <td>Set-up</td><td>☐</td> <td>Folio/Program</td><td>☐</td> <td>Outside Dimensions</td><td>☐</td> </tr> <tr> <td>Doc/Data</td><td>☐</td> <td>Offset/Setup</td><td>☐</td> <td>Centre Not Concentric</td><td>☐</td> <td>BOM/Route</td><td>☐</td> <td>Grain</td><td>☐</td> <td>Over/Under tolerance</td><td>☐</td> </tr> <tr> <td>Equip/Tooling</td><td>☐</td> <td>Supplier</td><td>☐</td> <td>Cracks</td><td>☐</td> <td>Broken/Damage/Defect</td><td>☐</td> <td>Weld</td><td>☐</td> <td>Part Incorrect</td><td>☐</td> </tr> <tr> <td>Handling/Pre</td><td>☐</td> <td>Training</td><td>☐</td> <td>Crimp/Kink/Ripple/Wave</td><td>☐</td> <td>Inspection Incomplete/Unqualified</td><td>☐</td> <td>Wrong Stock Pulled</td><td>☐</td> <td>Part Lost/Missing</td><td>☐</td> </tr> <tr> <td>Material</td><td>☐</td> <td>Use for Testing</td><td>☐</td> <td>Cuffs</td><td>☐</td> <td>Contamination</td><td>☐</td> <td>Out of Sequence</td><td>☐</td> <td>Part Moved</td><td>☐</td> </tr> <tr> <td>Internal Transport</td><td>☐</td> <td>Poor Information</td><td>☐</td> <td>Crushing</td><td>☐</td> <td>Countersink</td><td>☐</td> <td>Off-set</td><td>☐</td> <td>Drawing</td><td>☐</td> </tr> <tr> <td>Tribal Knowledge</td><td>☐</td> <td>Rushing</td><td>☐</td> <td>Heat Treat</td><td>☐</td> <td>Cut Too Short</td><td>☐</td> <td>Mislabeled</td><td>☐</td> <td>Finish</td><td>☐</td> </tr> <tr> <td>LOA</td><td>☐</td> <td>Product Improvement</td><td>☐</td> <td>Wave/Twist in Tube</td><td>☐</td> <td>Instructions Incomplete/Unclear</td><td>☐</td> <td>Fit/Function</td><td>☐</td> <td>Misread</td><td>☐</td> </tr> <tr> <td>Substation</td><td>☐</td> <td>Process Improvement</td><td>☐</td> <td>Marks/Chatter</td><td>☐</td> <td>Drill Holes</td><td>☐</td> <td>Misaligned/off center</td><td>☐</td> <td>Turning Sequence</td><td>☐</td> </tr> <tr> <td>Past Expiry Date</td><td>☐</td> <td>Manufacturing Process</td><td>☐</td> <td colspan="8" rowspan="2" style="text-align: center; vertical-align: top;"> OTHER : _____ </td> </tr> <tr> <td>Misidentified</td><td>☐</td> <td>Past Due</td><td>☐</td> </tr> </table>										Root Cause			FAULT CATEGORY							Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐	Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐	Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐	Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐	Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐	Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐	Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐	Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐	LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐	Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐	Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____								Misidentified	☐	Past Due	☐
Root Cause			FAULT CATEGORY																																																																																																																																																								
Environment	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐																																																																																																																																																
Design	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐																																																																																																																																																
Doc/Data	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐																																																																																																																																																
Equip/Tooling	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐																																																																																																																																																
Handling/Pre	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐																																																																																																																																																
Material	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐																																																																																																																																																
Internal Transport	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐																																																																																																																																																
Tribal Knowledge	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐																																																																																																																																																
LOA	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐																																																																																																																																																
Substation	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐																																																																																																																																																
Past Expiry Date	☐	Manufacturing Process	☐	OTHER : _____																																																																																																																																																							
Misidentified	☐	Past Due	☐																																																																																																																																																								



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO31385**

Purchase Order Date 2/17/2016

PO Print Date 2/17/2016

Page Number 1 of 2

Order From :

VC-TUL001

TULMAR SAFETY SYSTEMS
1123 CAMERON ST
HAWKESBURY, ON K6A 2B8
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

FEB 17 2016

Contact Name

Vendor Phone 613 632 1282

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D3215-043P ✓ AS PER DWG D3215 REV. D B141746	Harness Assembly	2/23/2016 Yes 2/23/2016		1.00 Each	\$37.14	\$37.14
Line Total:							\$37.14
2	71401-45	PROCUREMENT QUALITY CLAUSES	2/23/2016 No 2/23/2016		1.00	\$0.00	\$0.00
Procurement Quality Clauses							
A004 faa-pma/tso							
A005 right of entry							
A007 first article inspection (fai)							
A016 personnel qualification							
A026 certification of material conformance							
A040 notification of quality escape							
A041 quality management system							
A043 retention of quality document							
TSS = 5 YRS ONLY							

Note:

2/17/2016

PACKING SLIP

TULMAR

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, ON K6A 2B8
Tel: 613-632-1282
Fax: 613-632-2030
GST R132478223
MID : XOTULSAF1123HAW
email: info@tulmar.com

Packing Slip No Page

56734 1

Ship Date

2/18/2016

Bill To:

Dart Aerospace

1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Canada

Ship To:

Dart Aerospace

1270 Aberdeen Street
Tel: 613-632-9577
Hawkesbury, ON K6A 1K7
Canada

Order number	Sales order date	Account number	Loc	Account manager
33654 -	2/17/2016	CDART100	H	Francine Bigras
PO number	Ship via		Shipping Terms	
PO31385	Pick-Up		FOB HAWKESBURY	
Item No.	Quantity ordered	UOM	Qty Shipped/Returned	Quantity on back order
Description				

8938

Belt Ass'y, / 2" wide, black Webbing

Drawing No: D3215 (P/N D3215-043)

DWG Rev: D

LN 1

LN 2 = QA Clauses:

A004, A005, A007, A016, A026, A040,

A041, A043 (TSS 5yrs only)

Lot no.: BATCH0000000028

1.00

1.00

EA

1.00

2/18/2016

Certificate of Conformance

☒ See Certification Enclosed

I hereby certify that the items listed hereon have been inspected, and / or tested (as applicable), conform to all specifications and requirements detailed in the contract or purchase order. Objective evidence to support this statement is on file, and can be made available upon request.
If any questions or concerns, please contact QA Manager @ 613-632-1282 ext. 245.

Authorized Inspector

Lorraine LaLiberte

Date:

FEB 18 2016

Pattern : 27039

Width : 47.000

Dye lot No : 432674

Color : CG008

BLACK

Meters : 6 728.00

Warp Order :

Customer : TULMAR SAFETY SYSTEMS

Test Date : 2010/10/22

Nissan

Legend : Y = Good - Pass

N = Fail

Customer Part Number 18440 - 00

Test Method	Date	Type of Test	Min. Spec.	Max. Spec.	Median	Test 1	Test 2	Test 3
FMVSS 209	2009/10/01	Width - no load (mm)	46.000	48.000	47.930	47.840	47.970	47.930 Y
SAE J 882	2007/09/01	Thickness - original (mm)	1.140	1.400	1.175	1.185	1.175	1.175 Y
ASTM D-3775	2008/07/01	Picks per cm	7.000		7.200	7.200	7.200	7.200 Y
FMVSS 209	2009/10/01	Elongation - @ 11.1 kn load (%)		20.000	6.310	6.310	6.120	6.640 Y
FMVSS 209	2009/10/01	Tensile - original (lbs)	6,700.000		7,167.000	7,167.000	7,086.000	7,182.000 Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	75.000		91.700	91.500	91.900	91.700 Y
AATCC TM 8	2007/01/01	Crocking "wet"	3.000		4.000	4.000	4.000	4.000 Y
AATCC TM 8	2007/01/01	Crocking "dry"	3.000		4.500	4.500	4.500	4.500 Y
AATCC TM 107	2009/01/01	Dye stability (staining)	3.000		4.500	4.500	4.500	4.500 Y

Specification(s) :

FMVSS 209 revised on 2008-10-01

FMVSS 302 revised on 2008-10-01

Comment(s)

c/c's used to mfg. 53215-043 Rev. B.

Renee L. (QC)

Feb. 18/16

This is to certify that this product conforms to the specification(s) mentioned above and the requirement(s) outlined in the

Purchase Order # and was tested at $22 \pm 3^{\circ}\text{C}$ temperature and 45-55 % relative humidity.

Not applicable for downgraded (second) material

If this document is not signed, it is to be regarded as a non-controlled version

Tested by :

Approved by :

4.10-1403E (2010-03-31)

735 # 2281/12 (SN)



Belt-Tech Products Inc.

386 Dorchester Street

Granby, Québec

J2G 3Z7

*** Tel: (450) 372-5826 ***

*** Fax: (450) 372-4179 ***

October 16th 2007

Tulmar Safety Systems Inc.
1123 Cameron Street
Hawkesbury, Ontario
K6A 2B8

Attention to Sandra Nadeau

• By this letter, we certify that our pattern 27039/47, in all colors, meets the flammability specification of 102 mm/minute maximum of FMVSS 302 and 2.5"/minute maximum of FAR 25-853A.

Best regards,


Lyne Renaud
Quality Control Manager

TSS 2281



cansew inc.

formerly / anciennement
Canadian Sewing Supply Ltd. / Ltée — established / établie 1924

Manufacturers of sewing threads. / Wholesalers of elastics, Velcro, tapes, trimmings.
Fabricants de fils à coudre. / Grossistes d'élastiques, Velcro, galons, garnitures.

20 October 2008

Tulmar Safety Systems
1123 Cameron Street
Hawksbury, Ontario
K6A 2B8

Att. Sandra Nadeau


CERTIFICATE OF COMPLIANCE

This is to certify that the items mentioned below, shipped to Tulmar Safety Systems by CANSEW INC. on 20 October 2008, have been produced in accordance with the requirements of Purchase Order no. 14929-00 of the same date:

-Bonded Nylon CBB92 – 35.18 lb, colour OG-107, lot # 748348, meeting the requirements of specification V-T-295, Type 2, Class A, Size F

*-Bonded Nylon CB207 – 19.96 lb, colour black, lot # 656160, meeting the requirements of specification V-T-295, Type 2, Class A, Size 3, 3 ply

Yours truly,


Hershie Schachter
CANSEW INC.

MONTREAL - Head Office/Siège social
111 Chabanel W / O. H2N 1C9
Administration (514) 382-2807
Commandes/Orders (514) 382-2801
1-800-361-7722
FAX: (514) 385-5530

TORONTO
28 Apex Rd. M6A 2V2
(416) 782-1122
1-800-387-8584
FAX: (416) 782-8358

WINNIPEG
1674 Church Ave R2X 2W9
(204) 942-4264
1-800-665-0701
FAX: (204) 947-9280

CALGARY
3932 - 29th St. N.E. T1Y 6B6
(403) 291-4494
1-800-667-4197
FAX: (403) 291-5139

VANCOUVER
1615 Venables St. V5L 2H1
(604) 682-4341
1-800-580-0737
FAX: (604) 682-4196

info@cansew.ca

www.cansew.ca

TSS # 2525/42. (S)

Certificate of Conformance

Tulmar P/N 2530	Description Thread, Nylon, Black, A-A-59826, T17, C1A, Size F, Double Clutch Gr0, Country of Origin USA MS C0802		Dwg #	Revision	Qty 40 Spl
Tulmar PO # 27000-00	Line Item # 1	Supplier Name / Address CANSEW INC, 111Chabanel West, Suite 101, Montreal, Que., H2N 1C9		Supplier Packing Slip # H66082	

Supplier Declarations:

Hazardous Materials Acknowledgement		The items described below may contain, and their processing may have included, the following substances:		Hexavalent Chromium; Cadmium; Beryllium; Nickel; Mercury; Lead; Asbestos; Radioactive elements YES ☐ NO ☒	
Country of Origin of Goods : USA			if YES, please complete the HazMat Acknowledgement form @ www.tulmar.com		
Limited Shelf-Life	<u>Definition:</u> If material is consumed or transformed into final product before end of shelf-life there is no effect on final product.	These items have a limited Shelf-Life	YES ☐ NO ☒	if YES, please complete the Time Expired – Shelf-Life questionnaire @ www.tulmar.com	
Expiry date	<u>Definition:</u> Date after which performance will no longer be as intended - expiration is transferred to the final product.	These items have an expiry date	YES ☐ NO ☒		

Additional Information (MRS#, MRA#, limitations, etc.):

I hereby certify that the goods listed hereon have been inspected and/or tested, as applicable, and conform to all specifications and requirements detailed in the contract or purchase order and relevant quality clauses. Objective evidence to support this statement is on file and can be made available upon request. Should further information be required, please contact:

Form Revision 13 Aug 2012

2530/53 (SN)

TULMAR**Certificate of Conformance**

Tulmar P/N 22019-001	Description 25KAMSAFE - INCLUDES 2360NWT & HS1111 INK IMPRINTED ONE-SIDE, 1-3/8" WEB	Dwg #	Revision	Qty 1
Tulmar PO # 26289-00	Line Item # Supplier Name / Address Avery Dennison RBIS/ 950 German St. Lenoir, NC 28645 USA	Supplier Packing Slip # AVY-8494793		

Supplier Declarations:


Hazardous Materials Acknowledgement	The items described below may contain, and their processing may have included, the following substances:	Hexavalent Chromium; Cadmium; Beryllium; Nickel; Mercury; Lead; Asbestos; Radioactive elements YES ☐ NO ☒
Country of Origin of Goods :	Japan	if YES, please complete the HazMat Acknowledgement form @ www.tulmar.com
Limited Shelf-Life	<u>Definition:</u> If material is consumed or transformed into final product before end of shelf-life there is no effect on final product.	Those items have a limited Shelf-Life YES ☒ NO ☐
Expiry date	<u>Definition:</u> Date after which performance will no longer be as intended - expiration is transferred to the final product.	Those items have an expiry date YES ☐ NO ☒

if YES, please complete the Time Expired - Shelf-Life questionnaire @ www.tulmar.com

Additional Information (MRS#, MRA#, limitations, etc...):

Shelf life is 2 years from date of Manufacture.

I hereby certify that the goods listed hereon have been inspected and/or tested, as applicable, and conform to all specifications and requirements detailed in the contract or purchase order and relevant quality clauses. Objective evidence to support this statement is on file and can be made available upon request. Should further information be required, please contact:

Signature 	Name Bethany Covey	Date (DD-MMM-YYYY) 16-OCT-2013
Title Quality/ELS Manager Lenoir Facility	Email bethany.covey@averydennison.com	Phone # 828-758-2338

Form Revision 13 Aug 2012

22019-001/07